

# Vacuum Chicken / Poultry Pre-made Bag Packing Machine

---

## Product Photo



## Product Overview

The Soontact Vacuum Chicken / Poultry Pre-made Bag Packing Machine is a high-performance packaging system designed to vacuum-seal whole chickens,

chicken parts, and cooked poultry into pre-made pouches. It streamlines the entire packaging process — from feeding to sealing — while ensuring hygienic operation, excellent vacuum integrity, and long-term shelf life.

With intelligent control, reliable servo-driven performance, and GMP-compliant design, this machine is trusted by poultry processors seeking to boost efficiency, minimize material waste, and deliver consistent product quality.

## Functional Workflow

The machine performs the complete packaging process through the following steps:

- 1. Feeding - Product can be fed manually or automatically via weight/counting machines.
- 2. Bag Placement and Opening - Pre-made pouches are picked and opened at high speed using servo-controlled arms.
- 3. Vacuum Extraction - Air is extracted from the bag using a high-precision vacuum system.
- 4. Heat Sealing - Uses patented Soontact sealing with instant heating and water cooling.
- 5. Product Discharge - The sealed bag is automatically ejected to the output line.

## Key Features

- 12-Station Rotary Structure - High-efficiency rotating system with servo-controlled arms ensures stable, fast performance.
- Real-Time Monitoring - Integrated PLC and touchscreen monitor machine status, alarm logs, and operational data.
- Smart Safety Logic - Detects unfilled or misaligned bags and skips sealing, saving film and time.
- Flexible Film Compatibility - Works with BOPP/PE, PET, NYLON, ALUMINUM, PAPER, and other composite films.

- Easy Maintenance, GMP-Compliant - Hygienic stainless steel design, tool-free cleaning access, and CE certification.

## Technical Specifications

Parameter	SC-PB-130	SC-PB-160
Bag Width	55-130 mm	80-160 mm
Bag Length	60-180 mm	80-210 mm
Packing Speed	70-90 bags/min	50-70 bags/min
Working Stations	12	12
Power Requirement	380V, 8KW	380V, 8KW
Gas Consumption	0.8 m <sup>3</sup> /min	0.8 m <sup>3</sup> /min
Machine Weight	1800 KG	2100 KG
Dimensions (L×W×H)	2210×1740×1710 mm	2260×1760×1690 mm

## Applications

- Fresh poultry vacuum packing
- Cooked chicken portions
- Bone-in or boneless cuts
- Export-ready product lines
- Large-scale food processing plants

## Contact Us

Let our specialists help you choose the right model and configuration for your operation.

Contact us to request a demo, datasheet, or pricing quote:

[soontact@packingsupplier.com](mailto:soontact@packingsupplier.com)